



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>





3 2044 107 263 808

Pd
L 64



3458

ЗАПИСКИ

НОВОРОССІЙСКАГО ОБЩЕСТВА

ЕСТЕСТВОИСПЫТАТЕЛЕЙ

ВТОРОЕ ПРИЛОЖЕНІЕ КЪ ПЕРВОМУ ТОМУ.

ОДЕССА,
ВЪ ТИПОГРАФИИ Л. НИТЧЕ.
1872.

ЗАПИСКИ НОВОРОССІЙСКАГО ОБЩЕСТВА ЕСТЕСТВОИСПЫТАТЕЛЕЙ

ВТОРОЕ ПРИЛОЖЕНИЕ КЪ ПЕРВОМУ ТОМУ.

✕

СПИСОКЪ УПОТРЕБИТЕЛЬНѢЙШИХЪ РАСТЕНІЙ ХЕРСОНСКОЙ ФЛОРЫ

СОСТАВЛЕННЫЙ

Э. ЛИНДЕМАННОМЪ,

членомъ Имп. Общества испытателей природы въ Москвѣ, Имп. Вольно-экономическаго Общ. въ С-Петербургѣ, Имп. Общ. сельскаго хозяйства Южной Россіи въ Одессѣ, Обществъ естествоиспытателей при Имп., Новороссійскомъ и Харьковскомъ университетахъ, Общества акклиматизаціи животныхъ и растений въ Воронежѣ, фармацевтическаго въ С.-Петербургѣ, естествоиспытателей въ Ригѣ, литературы и искусствъ въ Митавѣ и въ Ревелѣ; Имп. Корол. зоологико-ботаническаго Общ. въ Вѣнѣ, Корол. Венгерскаго Общ. естествоиспытателей въ Пештѣ и Трансильванскаго въ Германштатѣ; Имп. ботаническаго Общ. въ Шербургѣ, Корол. Баварскихъ ботаническихъ Обществъ въ Регенсбургѣ и Аугсбургѣ, Корол. Медицинской Академіи въ Палермо и проч.

ОДЕССА.

Типографія Л. Нитче.

1872.

Лит 4915-
30401

Печатано по определению Новороссійскаго Общества Естество-
испытателей.

Президентъ Общества Я. Вальдъ.

INDEX

PLANTARUM USUALIUM

FLORAE CHERSONENSIS

AUCTORE

E. a LINDEMANN,

Societ. Imper. natur. scrutator. Mosquensis, Imper. liberae oeconom. Petropolitanae, Imp. Agronomiae Rossiae australis Odessanae, Natur. curios. Imper. Universitatum litt. Novae Rossiae et Charcoviensis, acclimationis animalium plantarumque Woroneschiensis, pharmacopolarum Petropolitanae, naturae Scrutat. Rigensis, litteraturae et artium Mitiaviensis et Revalensis; Imp. et Reg. Zoologico-botanicae Viennensis; Imp. Hungaricae scient. natur. Pesthinae; Imper. natur. scientiar. Carobukgensis, Regiae Bavaricae botanicorum Ratisbonensis et Augusta~~nae~~ nae hñ Vindelicis; Regiae Academiae medicorum Panormitanae etc. Sodali.

SECRET

PROVINCIAL GOVERNMENT

OFFICE OF THE SECRETARY

GOVERNMENT OF INDIA

The following is a list of the names of the members of the Provincial Government of India, who have been appointed to the office of Secretary, Office of the Secretary, Government of India, for the year 1914-15. The names are given in alphabetical order of their surnames. The names of the members of the Provincial Government of India, who have been appointed to the office of Secretary, Office of the Secretary, Government of India, for the year 1914-15, are given in alphabetical order of their surnames. The names of the members of the Provincial Government of India, who have been appointed to the office of Secretary, Office of the Secretary, Government of India, for the year 1914-15, are given in alphabetical order of their surnames.

ПРЕДИСЛОВІЕ.

Когда мой многолѣтній трудъ — *Prodromus Florae Chersonensis* — былъ уже готовъ къ печати, мнѣ пришло на мысль прибавить къ нему нѣсколько практическихъ указаній относительно наиболѣе полезныхъ растений, какъ дикорастущихъ, такъ и культурныхъ нашей губерніи.

Исходя изъ того положенія, что въ общей экономіи природы каждое растеніе имѣетъ свое значеніе и оставляя въ сторонѣ растенія, полезныя животнымъ вообще, а также и тѣ, которыя употребляются человѣкомъ какъ топливо, или какъ подѣлочный и строительный матеріалъ, я ограничился перечисленіемъ только тѣхъ, которыя имѣютъ прямое отношеніе къ его здоровому или больному организму. Кромѣ того я перечислилъ растенія, важныя въ хозяйственномъ или промышленномъ отношеніи.

Такимъ образомъ въ составъ списка вошли: растенія или ихъ части, употребляемыя въ пищу (II) и растенія лекарственныя, т. е. такія, которыя входятъ въ число аптекарскихъ матеріаловъ, при чемъ указаны ихъ главныя составныя части, ихъ дѣйствіе на организмъ и тѣ болѣзни, при леченіи которыхъ они были мною употребляемы съ пользою. Сюда я присоединилъ и тѣ, которыя въ нашей губерніи употребляются какъ народные средства леченія.

Такъ какъ этотъ отдѣлъ представляетъ особый интересъ не только для естествоиспытателей, но также для медиковъ и фармацевтовъ, то я и помѣстилъ его первымъ (I).

Къ другимъ отдѣламъ перечислены растенія: употребляемыя для добыванія маслъ (III), скипидара (IV), сахара (V), различныхъ солей (VI), служащія для куренія (VII), для дубленія кожъ (VIII), для приготовленія тканей (IX) и для окрашиванія (X).

Убѣжденный въ томъ, что практическія указанія и для неботаниковъ, помѣщенные въ концѣ *Prodromus*'а бросятъ нѣсколько свѣтлыхъ лучей на его значеніе, надѣюсь, что мой трудъ не былъ напрасенъ и принесетъ свою долю пользы.

„Ubi morbus, ibi herba“.
GALEN.

I.

Plantae officinales.

(Медицинскія растенія).

Achillea Millefolium. (Herb. Fol. Flor.).

Qualitas: Oleum aethereum, resina, Achilleinum.

Vis: amara excitans, tonica, emenagoga.

Usus: In spasmis, hæmorrhoidibus, amenorrhoea, dysmenorrhoea, metrorrhagia post partum.

Achyrophorus maculatus. (Radix).

Loco rhizomatis Arnicae; caeterum in medicina non usualis.

Acorus Calamus. (Rhizoma, Folia).

Q. Oleum aethereum, resina, amyllum, principium amarum, gummi.

V. Excitans, aromatico-tonica.

U. Intus in dyspepsia, scorbuto, post febrem intermittentem; extus in scrophulosis.

+*) **Adonis vernalis.** (Rhizoma).

Q. Verosimile: Oleum pingue, Adonidinum, resina, gummi, oleum aethereum.

*) Cruce (+) designatae sunt venenatae.

V. Acris, diuretica.

U. In hydropse multoties maximo cum effectu (decoct. ex ʒj ad ʒj, mane et vespere 2 — 3 ʒ pro dosi) in usum vocavi, ideoque magnopere qua antihydopicum laudare possum.

Agrimonia Eupatoria. (Radix, Folia).

Q. Oleum aethereum, principium amarum.

V. Aromatica, adstringens, diaphoretica.

U. Vulgo in febribus intermittentibus.

Alisma Plantago. (Rhizoma).

Q. Resina, amyllum, albuminum, saccharum, oleum, aethereum.

V. Acris, lene adstringens.

U. Vulgo in hydrophobia.

Allium Cepa. (Bulbus).

Q. Oleum aethereum, mucilago, saccharum, acidum citricum et pecticum, sulphur.

V. Acris, irritans, diuretica, expectorans, anthelmintica, maturans.

U. In hydropse, helminthiasi, abscessibus, succus oleo commixtus infantibus linimentum antispasmodicum praebet.

Allium sativum. (Bulbus).

Q. Oleum aethereum, gummi, albuminum, saccharum sulphur, Allilum.

V. Acris, irritans, vesicans.

U. In catarrho pulmonum, helminthiasi, scorbuto; vulgo in hydrophobia.

Althaea officinalis. (Rad. Herb. Flor.).

Q. Mucilago, principium pecticum, amyllum, Asparaginum, saccharum, phosphas calcis.

V. Emolliens, mucilaginoso.

U. In catarrho pulmonum aliisque morbis.

Althaea rosea. (Flores).

Q. Mucilago, principium tannicum et colorans.

V. Emolliens, lene adstringens.

U. In angina.

Alyssum minimum. (Herba).

U. Vulgo cum successu contra febres intermittentes, quod affirmare possum.

Anethum Foeniculum. (Semina).

Q. Oleum aethereum et pingue, amyllum, saccharum.

V. Carminativa, galactapoea.

U. In morbis canalis alimentarii infantum; in asthma.

Anethum graveolens. (Semina).

Q. }
V. } Praecedentis instar.
U. }

Anthemis arvensis. (Flores).

In officinis saepe flores commiscentur floribus **Matricariae Chamomillae.**

Artemisia Absinthium. (Herba).

Q. Oleum aethereum, Absinthium (principium azoticum, amarissimum), acidum succinicum, malicum et tannicum.

V. Amara, excitans, tonica, anthelmintica.

U. In dyspepsia, febribus intermittentibus, helminthiasi, hydropes.

Artemisia vulgaris. (Radix, herba).

Q. Principium resinosum, amarum, tannicum; oleum aethereum.

V. Aromatica, tonica, antispasmodica.

U. In epilepsia.

Aspidium Filix mas. (Rhizoma).

Q. Oleum aethereum, acidum pteritonicum et felixonicum.

V. Excitans, anthelmintica.

U. Contra Botryocephalum et Taeniam.

Asarum europaeum. (Rhizoma).

Q. Oleum aethereum, Asaron, Asarinum, amyllum, principium tannicum, gummi, resina.

V. Emetica.

U. Nunc vix usitatur.

Asparagus officinalis. (Radix).

Q. Resina, saccharum, albumen, gummi, kali et calcium muriaticum, phosphoricum et malicum.

V. Diuretica.

U. In hydropes.

Avena sativa. (Fructus).

Q. Amyli . . . 41, 2 part.

Gummi . . . 3, 3 »

Sacchari . . . 5, 2 »

Glutenis. . . 13, 3 »

Albuminis . . .	0, 3 part.
Olei pinguis . . .	5, 8 »
Cellulosae . . .	14, 8 »
Salium . . .	3, 3 »
Aquae . . .	12, 8 »

V. Nutriens.

U. Pro cibo et potu tempore variorum morborum.

Ballota nigra. (Herba).

Q. Principium amarum; kali pectinum, malicum et sulphuricum; calcium phosphoricum, resina.

V. Tonica, antispasmodica.

U. Olim in hysteria; nunc tantum in praxi veterinaria locum habet.

Barbarea vulgaris. (Folia).

Q. Oleum aethereum, principium amarum.

V. Antiscorbutica.

U. In scorbuto, qua olus acetarium.

Berberis vulgaris. (Radix, Fructus).

Q. (In radice): Berberinum, resina, gummi, acidum malicum, salia phosphorica; (in fructu): acidum malicum, saccharum, principium colorans et pecticum.

V. Tonica.

U. Dyspepsia, anorexia.

Betula alba. (Folia, Gemmae).

Q. Oleum aethereum, extractum amarum.

V. Excitans, tonica, diuretica, diaphoretica.

U. Vulgo in hydrope et rheumatismo.

Bidens tripartita. (Herba).

Q. Principium tannicum, resinosum et colorans;
mucilago.

V. Lene adstringens.

U. In scrophulosi hic eximie laudatur.

Brassica sinapioides (Sinapis nigra). (Semina.)

Q. Oleum pingue, kali mironicum, mirosinum, gummi.

V. Stimulans, acris, irritans, rubefaciens.

U. Intus in hypochondria, asthmate, scorbuto; extus
derivando modo in variis morbis inflammatoriis.

† Bryonia alba. (Radix).

Q. Bryoninum, resina, gummi, amyllum, salia phosphorica et malica.

V. Drastica.

U. In hydropse chronica; imprimis in homoeopathia.

Calendula officinalis. (Herba, Flores).

Q. Resina, calendulinum, gummi, salia malica.

V. Acris, tonica, diuretica, resolvens.

U. In cancro et ulceribus carcinomatosis?

Campanula glomerata. (Herba).

V. Antihydrophobica.

U. Vulgo in hydrophobia.

Cannabis sativa. (Semina).

Q. Oleum pingue, albuminum, saccharum, resina,
mucilago, salia phosphorica.

V. Emolliens, demulcens.

U. In blenorragiis.

Carex hirta. Carex intermedia (Loco Caricis arenariae in officinis). (Rhizoma).

Q. Principium resinosum, amyllum, mucilago, oleum aethereum.

V. Diaphoretica, diuretica.

U. In syphilide.

Capsella Bursa pastoris. (Herba).

Q. Oleum aethereum, chlorophyllum, principium amarum, saponinum, gummi, albuminum, kali oxalicum.

V. Adstringens, diuretica.

U. In morbis viarum urinarum.

Capsicum annuum. (Fructus).

Q. Capsicinum; principium colorans, amarum, pectum; gummi.

V. Tonica, rubefaciens.

U. In dyspepsia, scorbuto, typho, paralysi, cholera.

+ Ceratocephalus orthoceras. (Herba).

V. Acris, rubefaciens, vesicans.

U. Vulgo in febris intermittentibus ad pulsum applicatur.

+ Chelidonium majus. (Herba).

Q. Cheletrynum, Chelidoninum; Chelidoxanthinum, acidum chelidonicum, principium amylaceum, resinosum et gummosum.

V. Acris, excitans, resolvens, diuretica.

U. Intus in stasibus, venae portarum, ictero; extrinsecus in verrucis et scabie.

Cichorium Jntybus. (Radix).

Q. Inulinum, saccharum, principium amarum, kali et amonium muriaticum, kali nitricum et sulphuricum.

V. Resolvens.

U. In ictero, hypochondria.

Cnicus benedictus. (Folia).

Q. Cnicinum, pinguis, cera, gummi, salia, acidum malicum.

V. Amarum, tonicum, resolvens.

U. In dyspepsia, cardialgia, asthmate.

Cochlearia Armoracia. (Radix).

Q. Resina, albuminum, amyllum, gummi, saccharum, oleum aethereum.

V. Acris, stimulans, irritans, rubefaciens.

U. Intus in scorbuto, extus in rheumatismo allisque morbis loco sinapismi.

+ Conium maculatum. (Herba, raro Semina).

Q. Coniinum, Conhydrinum, amyllum, gummi, acidum, malicum, salia.

V. Acris, narcotica, resolvens, sopiens.

U. In obstructionibus hepatis et glandularum, induratione mammarum, tumoribus scrophulosis, scyrrho, cancro, nymphomania et satyriasi.

Convallaria majalis. (Flores).

Q. Convallarinum, Convallamarinum.

V. Sternutatoria.

U. Olim in epilepsia.

Coriandrum sativum. (Semina).

Q. Oleum aethereum et pingue, mucilago, salia malica.

V. Carminativa, tonica.

U. Dyspepsia, colica.

Cucumis Citrullus. (Fructus).

V. Refrigerans, diuretica.

U. In gonorrhoea, hydrope.

Cuscuta major. (Herba).

V. Acris, irritans, resolvens, lene purgans.

U. Vulgo in lithiasi aliisque vesicae urinae morbis.

Cynoglossum officinale. (Radix).

Q. Resina, principium tannicum et pecticum, mucilago.

V. Leniter adstringens, mucilaginosus.

U. In diarrhoeis, dysenteris, tussi; vulgo contra hydrophobiam.

+ Datura stramonium. (Folia, Semina).

Q. Daturinum, Stramoninum (in seminibus), resina, mucilago.

V. Acris, narcotica.

U. In asthmate, mania, epilepsia.

Daucus Carotae. (Radix plantae cultae).

Q. Carotinum, saccharum, principium pecticum et albuminosum, oleum aethereum, acidum malicum.

V. Nutriens, anthelmintica, demulcens, antiseptica.

U. Intus in helminthiasi, extus in angina, ulceribus phagogenis.

Ecballium Elaterium. (Fructus).

Q. Elaterinum, resina, principium pecticum.

V. Drastica, diuretica.

U. In hydropo, morbis mentalibus, apoplexia.

Eryngium campestre. (Radix).

Q. Mucilago, saccharum.

V. Diuretica, emenagoga.

U. In hydropo, blenorrhoea pulmonum, vulgo in amenorrhoea.

Erythraea Centaurium. (Herba).

Q. Centaurinum.

V. Amara, tonica, resolvens, febrifuga; vermifuga.

U. In dyspepsia, chlorosi, febribus intermittentibus, helminthiasi.

Euphrasia officinalis. (Herba).

Q. Oleum aethereum; principium amarum, tannicum et colorans.

V. Leniter adstringens.

U. In ophthalmia.

† Euphorbia procera. (Radix).

Q. Euphorbinum, oleum aethereum, resina.

V. Acris, irritans, drastica.

U. Vulgo in hydrophobia, contra odontalgiam (succo infricatio in auris partem inferiorem), et in praxi veterinaria loco vesicantis.

Fraxinus excelsior. (Cortex, Gemmae).

Q. Fraxinum, principium tannicum, mucilago.

V. Adstringens, febrifuga, antirheumatica.

U. (Cortex): In febris intermittenibus; (gemmae):
vulgo in rheumatismo chronico.

Fumaria Vaillantii. (Loco Fumariae officinalis. (Herba).

Q. Acidum fumaricum, Fumarinum, resina, gummi,
salia.

V. Resolvens, tonica.

U. In obstructionibus alvi et hepatis.

Genista tinctoria. (Herba).

Q. Oleum aethereum acre, principium colorans et
tannicum; mucilago.

V. Diuretica, antihydrophobica.

U. Vulgo in hydrophobia.

Geum urbanum. (Rhizoma).

Q. Oleum aethereum, principium tannicum, resina,
gummi.

V. Excitans, aromatica, adstringens. (Infusum magis
excitant; decoctum magis roborat).

U. In diarrhoea chronica, dysenteria, haemorrhagiis
passivis.

Glechoma hederacea. (Herba).

Q. Resina, principium amarum et tannicum, kali
nitricum.

V. Leniter excitans, resolvens, bechica.

U. In catarrhis pulmonum.

Glycyrrhiza echinata et G. glandulifera. (Radix).

Q. Glycyrrhizinum, resina, albuminum, amyllum, gum-
mi, Asparaginum.

V. Emolliens, demulcens.

U. In catarrhis pulmonum.

† *Gratiola officinalis*. (Radix, Herba).

Q. *Gratiolinum*, *Gratiosolinum*, principium resinosum,
pingue et tannicum.

V. Acris, drastica.

U. In hydropo et morbis mentalibus.

Helichrysum arenarium. (Flores).

Q. Oleum aethereum, principium amarum.

V. Subaromatica, diuretica.

U. In morbis viarum urinarum.

Hieracium umbellatum. (Radix).

Loco rhizomatis *Arnicae*, caeterum in medicina non
usuale.

Hordeum vulgare. (Fructus).

Q. Amyli 48, 06 part.

Gummi 3, 87 »

Sacchari 9, 75 »

Glutenis. 12, 88 »

Albuminis 0, 30 »

Olei. 0, 34 »

Cellulosae 13, 34 »

Salium 3, 56 »

Aquae 13, 90 »

V. Nutriens, emolliens, demulcens; (maltum hordei):
tonica, antisorbutica.

U. In morbis pectoris, scorbuto etc.

Humulus Lupulus. (Fructus, Glandulae).

Q. Oleum aethereum, resina, cera, Lupulinum, aci-
dum valerianicum.

V. Tonica, diuretica, sedativa.

U. In dyspepsia, scorbuto, hydropo, nymphomania, satiriasi.

† *Hyosciamus niger*. (Folia, Semina).

Q. Hyosciaminum, acidum malicum, mucilago, salia;
(in seminibus praeterea): oleum pingue, cera,
gummi, saccharum.

V. Narcotica, sopiens, antispasmodica.

U. In morbis spasmodicis, variisque doloribus; catarrho pulmonum etc.

Hypericum perforatum. (Herba).

Q. Principium colorans, resinosum, tannicum, pecticum.

V. Resolvens.

U. Vulgo in haemorrhoidibus.

Inula Helenium. (Radix).

Q. Inulinum, Heleninum (Alantkampfer), resina, gummi, principium amarum.

V. Excitans, tonica. — Parva dosi diaphoretica, diuratica, expectorans; magna dosi emetica,

U. In dyspepsia, catarrho pituitoso, scabie infantum.

Juglans regia. (Folia, Cortex fructuum).

Q. (In foliis): Principium amarum et tannicum; (in cortice fructuum): principium colorans et tannicum, amyllum, acidum citricum et malicum.

V. Tonica, adstringens.

U. In scrophulosis, ulceribus atonicis.

Lamium album. (Flores).

Q. Mucilago, saccharum.

V. Resolvens, diuretica.

U. In catarrho pulmonum; vulgo in leucorrhoea.

Lappa major: L. minor. L. tomentosa. (Radix, Folia).

Q. Inulinum, saccharum, principium tannicum et amarum, oleum pingue.

V. Diaphoretica, diuretica.

U. In morbis cutaneis chronicis, rheumatismo, podagra; vulgo in alopecia.

Lepidium ruderale. (Herba).

Q. Oleum aethereum, gummi, resina, sulphur.

V. Acris, diuretica.

U. In scorbuto; vulgo contra febrem intermittentem.

Levisticum officinale. (Radix).

Q. Oleum aethereum, gummi, resina, amyllum,

V. Diuretica.

U. Uulgo in hydropse.

Ligustrum vulgare. (Fructus).

Loco fructuum Rhamni cathartici, in medicina caeteroquin non usitatur.

Linaria vulgaris. (Herba).

Q. Mucilago; principium amylaceum, colorans, resinum et tannicum.

V. Resolvens.

U. In varicibus haemorrhoidalibus.

Linum usitatissimum. (Semina).

Q. Oleum pingue, mucilago, cera, resina, gummi, albuminum, principium colorans.

V. Emolliens, demulcens.

U. Intus in variis inflammationibus, diarrhoeis, blenor-
rhagiis; extus abcessuum maturationem praeparat.

Lycium barbarum. (Radix).

V. Diaphoretica, diuretica.

U. Uulgo in variis morbis cutaneis et in syphilide loco radices Sarsaparillae.

Malva borealis et M. vulgaris. (Folia).

Q. Mucilago.

V. Emolliens, demulcens.

U. In anginīs et ophthalmiis.

Marrubium vulgare. Herba.

Q. Oleum aethereum; principium amarum, aromaticum et tannicum.

V. Amara, excitans, expectorans, emenagoga.

U. In catarrho chronico pulmonum, amenorrhoea.

Maruta Cotula. (Flores).

Flores in officinis commiscuntur floribus Matricariae Chamomillae.

Matricaria Chamomilla. (Flores).

Q. Oleum aethereum, principium resinosum et amarum; salia phosphorica, tatarica et malica.

V. Excitans, stimulans, antispesmodica, diaphoretica.

U. In morbis spasmodicis, imprimis in vomitu, colica, cholera; extus in variis morbis ex. gr. ulceribus torpidis etc.

Melilotus officinalis. (Herba, Flores).

Q. Oleum aethereum, principium amarum, Cumarinum.

V. Stimulans, emolliens, resolvens.

U. In abscessibus et tumoribus rheumaticis.

Mentha crispa et M. piperita. (Folia).

- Q. Oleum aethereum, acidum tannicum, resina, principium amarum.
- V. Stimulans, peptica, antispasmodica, resolvens, emenagoga, lactis secretionem minuens.
- U. In ventriculi et tubi intestinalis affectionibus: vomitu, colica, diarrhoea, cholera; in hysteria, hypochondria, amenorrhoea, mammarum induratione etc.

Morus nigra. (Fructus).

- Q. Acidum malicum, saccharum, principium pecticum et colorans, gummi, pinguis.
- V. Emolliens, lene adstringens.
- U. In angina catarrhali.

Nepeta Cataria. (Folia, Flores).

- Q. Oleum aethereum, principium amarum et tannicum, resina.
- V. Excitans, tonica, stomachica, sosciens, emenagoga.
- U. Loco Melissae officinalis in affectionibus ventriculi et tubo alimentarii, nec non in amenorrhoea.

† Nicotiana Tabacum. (Folia).

- Q. Nicotinum, Nicotianinum, principium amarum, amarum, resina, gummi, sal malicum.
- V. Narcotica, acris, emetica, drastica.
- T. Extus in herniis, incarceratis, ilev.

Oenanthe Phelandrium. (Semina).

- Q. Oleum aethereum et pingue, principium amarum et resinosum.

V. Excitans, expectorans, diuretica.

U. In phthysi.

Ononis spinosa. (Radix).

Q. Ononinum, Ononidum, gummi, principium amarum
et resinasum, amyllum.

V. Diuretica.

U. In morbis vesicae urinariae, hydropes.

Onosma echinoides. (Radix).

Loco radicis Anchusae tinctoriae, caeterum in medicina non usualis.

Orchis militaris. O. Morio. O. palustris (Tubera).

Q. Bassorinum, gummi, mucilago, amyllum.

V. Nutriens, mucilaginosus.

U. In phthysi, diarrhoea, dysenteria, dysuria.

Origanum vulgare. (Herba).

Q. Oleum aethereum, principium amarum et tannicum.

V. Excitans, stimulans, resolvens.

U. Intus in catarrhis; extus in rhachitide, scrophulosis.

Papaver dubium. P. Rhoëas. (Flores).

Q. Principium calorans, gummi, resina, cera, principium albuminosum.

V. Sopiens.

U. In catarrho pulmonum.

Papaver somniferum. (Semina).

Q. Oleum pingue, principia proteinica et pectinica, cellulosa.

V. Sopiens, antispasmodica.

U. Oleum papaveris in variis morbis usitatur.

Petroselinum sativum. (Radix, Herba, Semina).

Q. (In radice): Oleum aethereum, Saccharum, amy-
lum, mucilago, Apiinum; (in seminibus) oleum
aethereum, Apiolum, pinguis; principium colo-
rans, tennicum et pectinicum.

V. Diuretica.

U. In hydropes.

Pimpinella Saxifraga. (Radix).

Q. Oleum aethereum, resina saccharum, gummi, prin-
cipium albuminosum.

V. Excitans, lene diaphoretica, diuretica.

U. In catharrho pulmonum chronico, asthmate, an-
gina chronica, paralyti linguae.

Pinus sylvestris. (Folia, Gemmae).

Q. Resina, principium tannicum, oleum aethereum
(oleum Terebinthinae).

V. Stimulans, diuretica, diaphoretica.

U. In catarrho pulmonum, rheumatismo, scorbuto,
syphilide.

Plantago major. (Folia).

Q. Mucilago.

V. Refrigerans.

U. Vulgo in ulceribus et vulneribus.

Populus nigra. P. pyramidalis. (Gemmae).

Q. Oleum aethereum, pinguis, resina, principium
tannicum, gummi; (in foliis praeterea): salicinum
et populinum.

V. Sopsins, resolvens.

U. In solica, combustionibus, vulneribus.

Primula officinalis. (Flores).

Q. Primulinum.

V. Diaphoretica, leniter stimulans.

U. Olim in hemicrania, rheumatismo, paralyti.

Prunella vulgaris. (Herba).

Q. Principium amarum, tannicum.

V. Adstringens.

U. In diarrhoea, angina.

Prunus Cerasus. (Fructus).

Q. Saccharum, acidum malicum, principium colorans et pecticum, gummi; (in seminibus): acidum borussicum.

V. Frigerans.

U. In morbis inflammatoriis.

Prunus domestica. (Fructus).

Q. acidum malicum, saccharum, principium pecticum; (in seminibus): acidum borussicum.

V. trigerans, eccoprotica.

U. In febribus inflammatoriis; obstructionibus alvi

Prunus Padus. (Cortex).

Q. Amygdalinum, principium albuminosum et tannicum, gummi.

V. Diaphoretica, diuretica, sopiens, adstringens.

U. In ophthalmia.

+ Pulsatilla pratensis. P. vulgaris. (Herba).

Q. Anemoninum, acidum anemonicum.

V. Acris, rubefaciens.

U. In amaurosi; praecipue in homöopathia.

Pyrethrum corymbosum. (Radix).

- Q. Oleum pingue et aethereum, Inulinum, gummi.
- V. Sialagoga.
- U. In paralysi linguae.

Pyrus Malus. (Fructus).

- Q. Acidum malicum, saccharum, mucilago.
- V. Refrigerans.
- U. Intus in tussi post refrigerationem; in combustionibus extrinsecus.

Quercus pedunculata. (Cortex; Glandes).

- Q. Acidum quercitannicum, gummi, principium colorans et pectinicum, resina, salia malica et phosphorica; (in glandibus): amyllum.
- V. Adstringens, antiseptica; nutriens.
- U. In relaxatione uvulae, ulceribus, decubito; scrophulosi.

Rhamnus cathartica. (Cortex; Fructus).

- Q. (In cortice): Rhamnoxanthinum, resina, principium tannicum; (in fructu): Rhamnocathartinum.
- V. Drastica.
- U. In hydropse et abstructionibus alvi.

Ribes nigra. (Folia).

- Q. Oleum aethereum, principium tannicum.
- V. Lene diaphoretica et diuretica.
- U. Vulgo in scrophulosi.

Rosa gallica. (Flores).

- Q. Oleum aethereum, principium tannicum, colorans, mucilago, saccharum, Quercitrinum.

V. Adstringens, tonica.

U. In ophthalmia, aphthis infantum.

Rubia tinctorum. (Radix).

Q. Acidum ruberythrinicum et rubichloricum, Alizarinum, Purpurinum, saccharum, acidum citricum, principium pecticum.

V. Adstringens.

U. Olim in ictero et rhachitide.

Rubus Jdaeus. (Fructus).

Q. Acidum malicum et citricum, principium pecticum, saccharum, oleum aetheréum.

V. Diaphoretica.

U. In refrigerationibus et exanthematibus.

Rumex Acetosa. R. Acetosella. R. haplorhizus. (Folia).

Q. Kali oxalicum.

V. Antiseptica.

U. In scorbuto.

Rumex obtusifolius. (Radix).

Q. Rumicinum, resina, principium tannicum, amyllum, mucilago.

V. Amara, adstringens.

U. In impetiginibus.

Ruta graveolens. (Herba).

Q. Oleum aethereum, Rutinum, resina.

V. Excitans, antiseptica, emenagoga.

U. In angina, ptyalismo mercuriali, epilepsia, hydrophobia, amenorrhoea.

Salix alba. S. fragilis. S. pentandra. (Cortex).

Q. Salicinum, principium tannicum et colorans, resina, gummi.

V. Adstringens, tonica, febrifuga.

U. In diarrhoeis, anginis et febribus intermittentibus.

Salvia pratensis. S. sylvestris. (Folia).

(Loco *Salviae officinalis*).

Q. Acidum tannicum et malicum, oleum aethereum, resina.

V. Leniter excitans, aromatici, adstringens, resolvens.

U. In sudoribus colliquativis et anginis.

Sambucus nigra. (Flores, Frustus).

Q. (In floribus): oleum aethereum crystallisatum; principium resinosum, albuminosum, mucilaginosum et tannicum; salia muriatica, sulphurica et phosphorica; (in fructibus): principium colorans, acidum malicum, saccharum, oleum aethereum.

V. (Florum): intus diaphoretica, extus resolvens; (fructuum): purgans.

U. In exanthematibus variisque morbis.

Saponaria officinalis. (Radii; Folia).

Q. Saponinum, resina, gummi.

V. Leniter stimulans, resolvens, laxativa.

U. Olim in morbis hepatis et syphilide.

Scrophularia nodosa. (Herba).

U. Uulgo in hydrophobia.

Secale cereale. (Fructus).

Q. Amili 51, 14 part.

Gummi. 5, 31 »

Sacchari 3, 74 »

Glutenis	10, 79	part.
Albuminis	3, 04	»
Olei pinguis	0, 95	»
Glumarum	10, 29	»
Salium	1, 74	»
Aquae	13, 00	»

V. Nutriens, antiseptica.

U. Cibus et potus; extuo cataplasmata in variis morbis. — Farina secalina. — Spiritus frumenti. — Secale cornutum est fungus: Clavipes purpurea. Tulasne.

Sedum acre. (Herba).

Q. Principium luteum acre et pingue.

V. Extus acris, irritans, rubefaciens; intus emetica, drastica, antiepileptica.

U. In scorbuto, epilepsia

Sinapis alba. (Semina).

Q. Oleum pingue, Myrosinum, Rhodansinapium.

V. Brassicae sinapioides instar, tamen minori in gradu.

U. In catarrho ventriculi et pulmonum, in asthmate chronico (cochlearia theana 2 — 20 de die) optimum remedium.

+ **Solanum Dulcamara.** (Stipites).

Q. Picroglycioninum, Solaninum, saccharum.

V. Acris, narcotica, nauscosa, diaphoretica, diuretica, resolvens.

U. In catarrho chronico pulmonum, dermatosibus rheumatismo, scrophulosi.

† Solonum nigrum. (Herba).

Q. }
V. } Praecedenti similes.

U. In ozaena.

Solidago Virgaurea. (Radix).

Loco rhizomatis Arnicae in officinis occurrit.

Statice latifolia et Goniolinum tataricum. (Radix).

Q. Acidum tannicum.

V. Adstringens.

U. In officinis asservatur pro praxi veterinaria contra diarrhoeam equorum et bovum.

Symphytum officinale. (Radix).

Q. Mucilago, Asparaginum, saccharum, principium tannicum.

V. Emolliens.

U. Olim in catarrho pulmonum.

Tanacetum vulgare. (Folia; Flores).

Q. Oleum athereum, Tanacetinum, principium tannicum; (in floribus praeterea): resina, cera, gummi.

V. Excitans, vermifuga.

U. In helminthiasi.

Taraxacum officinale. (Radix; Herba).

Q. Taraxacinum, Inulinum; principium albuminosum, saccharatum, resinosum.

V. Leniter stimulans, resolvens.

U. In morbis hepatis, ictero, amenorrhoea.

Teucrium Chamaedrys. T. Scordium. (Herba).

Q. Oleum aethereum, principium tannicum, Scordiinum.

V. Antiseptica.

U. Vulgo in anginis et ulceribus phagedenicis.

Thaliolum minus. (Herba).

V. Aphrodisiaca.

U. Vulgo contra viperæ morsum et satyriasin.

Thymus Serpyllum. (Herba).

Q. Oleum aethereum, principium tannicum et amarum.

V. Stimulans, resalvens.

U. In scrophulosi, rhachitide variisque tumoribus.

Tilia europaea. (Flores).

Q. Oleum aethereum; principium mucilaginosum, saccharatum, albuminosum, tannicum.

V. Diaphoretica, diuretica.

U. In refrigerationibus et exanthematibus.

Trifolium montanum. (Flores).

U. Vulgo in leucorrhoea.

Trifolium alpestre. T. Medium. T. pratense. (Flores).

U. Vulgo in amenorrhoea.

Triticum repens. (Rhizoma).

Q. Saccharum (Mannitum?), gummi, gluten, amyllum.

V. Emolliens, resolvens, leniter laxans, diuretica.

U. In catarrho pulmonum, in morbis hepatis, lienis et cataneis chronicis.

Triticum vulgare. (Fructus).

Q. Amyli 45, 99 part.

Gummi. 1, 52 „

Sacchari 1, 50 „

Glutenis	19, 64	part.
Albuminis	0, 95	»
Olei pinguis	0, 87	»
Cellulosae	12, 34	»
Salium	2, 36	»
Aquae	14, 83	»

V. Nutriens, emolliens, alvum adstringens.

U. Farina, furfur, amyllum in variis morbis.

Tussilago Farfara. (Folia, rarius Radix et Flores).

Q. Mucilago, principium amarum et tannicum.

V. Emolliens, expectorans.

U. In catarrho pulmonum, phthysi.

U. campestris. U. montana. (Cortex).

Q. Principium tannicum, pinguis, Bassorinum.

V. Adstringens, ruborans, diuretica.

U. In agina, stomacace, morbis cutaneis.

Valeriana officinalis (Rhizoma).

Q. Oleum aethereum, acidum malicum et valerianicum, resina, gummi, amyllum.

V. Excitans, antispasmodica.

U. In febribus asthenicis et morbis spasmodicis, ex. gr. hysteria etc.

† **Veratrum Lobelianum.** (Rhizoma).

Q. Veratrinum, Jervinum, pinguis, principium colorans, amyllum, gummi, resina, acidum quercigallicum.

V. Narcotica, acris, irritans, emetica, drastica.

U. In neuralgiis, rheumatismo, scabie.

Verbascum phlomoides. (Folia, Flores):

(Loco Verbasci Thapsi).

Q. Pinguis, saccharum, oleum aethereum, gummi,
principium calorans, salia.

V. Emolliens.

V. In catarrho pulmonum.

Vinca herbacea. V. minor. (Herba).

Q. Principium amarum et tannicum.

V. Leniter laxans et diaphoretica:

U. In plica polonica.

Viola odorata. (Flores).

Q. Oleum aethereum, Violinum, mucilago, saccharum,
principium colorans. (Anthokyaninum).

V. Antispasmodica, resolvens, emetica.

U. Syropus Violarum qua corrigens.

Viola tricolor. (Herba, Flores).

Q. Principium resinosum, colorans et amarum; sac-
charum, mucilago.

V. Emolliens, diuretica, laxativa.

U. In scrophulosis et exanthematibus.

Viscum album. (Stipites).

Q. Viscinum, Chlorophyllum, saccharum, gummi,
principium albuminosum, resina.

V. Antispasmodica.

U. In tussi convulsiva, spasmis infantum et epilep-
sia; vulgo in phthysi.

Xanthium spinosa. (Herba).

V. Febrifuga.

U. Uulgo in febris intermittenribus.

Zygophyllum Fabago. (Folia).

V. Anthelmatica.

U. In helminthiasi.

II.

Plantae alimentariae.

(Растения употребляемыя человекомъ въ пищу).

Radices. Apium graveolens.

Beta vulgaris.

Brassica Napus.

» oleracea.

» campestris.

Cichorium Jntybus.

Cirsium canum.

Cochlearia Armoracia.

Daucus Carota.

Pastinaca sativa.

Petroselinum sativum.

Raphanus sativus.

Scorzonera hispanica.

Sium Sisarum.

Tubera. Helianthus tuberosus.

Solanum tuberosum.

Turiones. Asparagus officinalis.

Bulbi. Allium Cepa.

» sativum.

Folia. Aegopodium Podagraria.

- Folia.** **Allium Ceba.**
 » **fistulosum.**
 » **sativum.**
 » **schoenoprasum.**

 Anethum graveolens.
 Apium graveolens.
 Atriplex hortensis.
 Barbarea vulgaris.
 Beta vulgaris.
 Blitum virgatum.
 Cardamine pratensis.
 Lactuca sativa.
 Lepidium sativum.
 Rumex Acetosa.
 » **Acetosella.**
 » **haphlorhizus.**
 Taraxacum officinale.
 Urtica major.

Fructus. **Berberis vulgaris.**
 Cornus mascula.
 Cucumis citrulus.
 » **Melo.**
 » **sativus.**
 Cucurbita Pepo.
 Fragaria collina.
 » **elatior.**
 » **neglecta.**
 » **vesca.**
 Humulus Lupulus.
 Morus alba.

Fructus. Phaseolus vulgaris.

Pisum sativum.

Prunus Avium.

» Cerasus.

» domestica.

» insiticia.

» spinosa.

Pyrus communis.

» Malus.

Ribes Grossularia.

» nigrum.

» rubrum.

Rosa canina.

Rubus Jdaeus.

» fruticosus.

» caesius.

Vitis vinifera.

Semina. Avena sativa.

Brassica sinapioides.

Cannabis sativa.

Cicer arietinum.

Coriandrum sativum.

Corylus Avellana.

Ervum Lens.

Fagopyrum esculentum.

» tataricum.

Hordeum vulgare.

Helianthus annuus.

Iuglans redia.

Lathyrus sativus.

Semina. *Nigella sativa.*
Panicum miliaceum.
Papaver somniferum.
Quercus pedunculata.
Secale cereale.
Sinapis alba.
Sorghum saccharatum.
» *vulgare.*
Triticum vulgare.
Vicia Faba.
Zea mays.

III.

Plantae oleiferae.

(Растенія для добыванія масла.)

Semina. *Brassica campestris.*
» *Napus.*
» *sinapioides.*
Camelina sativa.
Cannabis sativa.
Cornus sanguinea.
Corylus Avellana.
Evonymus europaeus.
Juglans regia.
Helianthus annuus.
Hesperis matronalis.
Linum usitatissimum.
Papaver somniferum.
Sinapis alba.
» *arvensis.*

IV.

Plantae resiniferae.

(Растенія для добыванія скипидара.)

Trunci. Pinitus sylvestris.

V.

Plantae sacchariferae.

(Растенія для добыванія сахара.)

Radix. Beta vulgaris.

Culmus. Sorghum saccharatum.

» vulgare.

VI.

Plantae saliciferae.

(Растенія для добыванія различныхъ солей).

Herba. Salicornia herbacea.

Salsola Kali.

VII.

Plantae frémificae.

(Растенія служащія для куренія).

Folia. Nicotiana rustica.

» Tabacum.

VIII.

Plantae coriariae.

(Растенія служащія для дубленія кожъ).

Cortices. Aesculus Hippocastanum.

Berberis vulgaris.

Fraxinus excelsior.

Iuglans regia.

Cortices. *Prunus insiticia.*

» *spinos.*

Quercus pedunculata.

Salix alba.

» *amygdalina.*

» *Caprea.*

» *fragilis.*

» *pentandra.*

Ulmus campestris.

Rami et *Rhus Cotinus.*

Folia. *Statice latifolia.*

» *tatarica.*

Tamarix gallica.

IX.

Plantae textrinae.

(Растенія служащія для приготовленія тканей).

Caules. *Althaea cannabina.*

(**Liber**). *Cannabis sativa.*

Humulus Lupulus.

Linum usitatissimum.

Tilia europaea.

Urtica major.

Pinus sylvestris.

Morus alba.

X.

Plantae tinctoriae.

(Растенія служащія для окрашиванія.)

Colore coeruleo:

Radix. *Mercurialis perennis.*

Folia. *Galega officinalis.*

Folia.	Isatis tinctoria. (Indigothum).	
	Robinia Pseudo-Acacia.	
Flores.	Centaurea Cyanus.	} (Anthocyani- num).
	Viola odorata.	
Fructus.	Ligustrum vulgare.	

Colore viridi:

Caules et Folia	}	Variarum plantarum, (Chlorophyllum).
Cortex et Fructus		
		Rhamnus cathartica.

Colore luteo:

Radices.	Berberis vulgaris (Berberinum).
	Onosma echioides.
	Rubia tinctorum. (Xanthinum).
Cortices.	Betula alba.
	Rhamnus Frangula (Rhamnoxanthi- num).
Lignum.	Rhus Cotinus.
Caules et	Centaurea Jacea.
Folia.	Genista tinctoria.
	Morus alba.
	Serratula tinctoria.
Flores.	Anthemis tinctoria.
	Colutea arborescens.
	Genista tinctoria.
	Linaria vulgaris. (Antirrhinum).
	Spiraea Ulmaria (Spiraeinum).
	Viola tricolor.

Colore rubro:

- Radices.** Anchusa officinalis (Anchusinum).
Asperula odorata.
Daucus Carota. (Carotinum).
Echium rubrum.
 » vulgare.
Gallium Mollugo.
Lithospermum arvense.
 » officinale (Lithosperminum).
Rhus Cotinus.
Rubia tinctorum (Alizarinum).
Cortices. Salicum spec. (Rutilinum).
Flores. Hypericum perforatum. (Hyperici-
 num).
Fructus. Hypericum perforatum. (Hyperici-
 num).
Ligustrum vulgare. (Ligulinum).
Semina. Peganum Harmala. (Porphyrrarmi-
 num).
-

ОПЕЧАТКИ.

Стр. строка сверху.

15	16	ви. Excitans долж. чит. Excitans.
17	18	" diuratica " diuretica.
18	15	" Vulgo " Vulgo.
19	3	" Vulgo " Vulgo.
20	26	rum. in herniis incarceratis, ileo.
21	5	" resinasum долж. чит. resinosum.
22	5	tennicum " tannicum.
24	21	" abstructionibus долж. чит. obstructionibus.
26	9	" frustus " fructus.
26	13	" calorans " colorans.
26	19	" Radiy " Radix.
26	24	" Vulgo " Vulgo.
27	8	" Extuo " Extus.
35	4	" pedunculato " pedunculata.
36	17	" fremifcae " fumificae.
38	2	" Preudo " Pseudo.

QUESTIONS

1. The first question is about the	10	10
2. The second question is about the	10	10
3. The third question is about the	10	10
4. The fourth question is about the	10	10
5. The fifth question is about the	10	10
6. The sixth question is about the	10	10
7. The seventh question is about the	10	10
8. The eighth question is about the	10	10
9. The ninth question is about the	10	10
10. The tenth question is about the	10	10
11. The eleventh question is about the	10	10
12. The twelfth question is about the	10	10
13. The thirteenth question is about the	10	10
14. The fourteenth question is about the	10	10
15. The fifteenth question is about the	10	10
16. The sixteenth question is about the	10	10
17. The seventeenth question is about the	10	10
18. The eighteenth question is about the	10	10
19. The nineteenth question is about the	10	10
20. The twentieth question is about the	10	10

Новороссийское Общество Естествоиспытателей
предлагаетъ всемъ ученымъ обществамъ и редакціямъ
журналовъ по чистымъ и прикладнымъ естественнымъ
наукамъ обмѣнивать свои изданія на Записки Ново-
російскаго Общества Естествоиспытателей.

ПРЕЗИДЕНТЪ ОБЩЕСТВА Я. Вальцъ.

La Société des naturalistes de la Nouvelle-Russie
offre ses Mémoires (Zapiski Noworossiiskago Obszczestwa
Estestwoispitatelei) à toutes les sociétés scientifiques et
aux redactions des journaux concernant les sciences na-
turelles pures ou appliquées en échange de leurs éditions.

PRÉSIDENT DE LA SOCIÉTÉ J. Walz.

Кіевское Общество Естествоиспытателей, имѣя въ виду издавать съ 1872 г. по шестымъ и приходящимъ естественнымъ наукамъ систематическій указатель журнальныхъ статей и сочиненій, которыя появляются на русскомъ языкѣ, имѣетъ честь повтореніе проситъ гг. авторовъ такихъ сочиненій присылать Обществу или самыя сочиненія, или, по крайней мѣрѣ, заявленія о ихъ выходѣ, а всѣ ученые общества и редакціи журналовъ по естествознанію обмѣнивать свои изданія на «Записки Кіевского Общества Естествоиспытателей».

Вице-президентъ Общества Н. Бунге.

Въ Кіевѣ 1872 г.



Кіевское Общество Естествоиспытателей, имѣя въ виду издѣлать съ 1872 г. по чистымъ и прирѣдкамъ естественнымъ наукамъ систематическій указатель журнальныхъ статей и сочиненій, которая посылается на русскомъ языкѣ, имѣетъ честь повторить проситъ Гг. авторовъ такихъ сочиненій присылать Обществу или самыя сочиненія, или, по крайней мѣрѣ, заявленія о ихъ выходѣ, а всѣ ученые общества и редакціи журналовъ по естествознанію — обмѣливать свои изданія на «Записки Кіевского Общества Естествоиспытателей».

Вице-президентъ Общества Н. Бунге.

1875



